

# FP 48

## FP 48 GRAND LARGE Descriptions

### General Specifications:

Length overall: ..... 14.43 m  
 Beam overall.: ..... 7.90 m  
 Draught:..... 1.64 m

Light weight displacement: ..... 18400 kg approx.

Sail area:

Genoa: ..... 49 m<sup>2</sup>  
 Main sail: ..... 85 m<sup>2</sup>

Engines:..... 2 x 45HP

Tank capacity:

Fresh water:..... 700 l (approx.)  
 Fuel: ..... 2 X 350 l (approx.)

Boat certified CE: .....

category A: 12 people, category B: 14 people, category C: 18 people, category D: 22 people

Architecte naval / Naval architect.....Berret-Racoupeau yacht design

Design intérieur / Interior design.....Isabelle Racoupeau

Constructeur / Builder.....FONTAINE PAJOT

**SUMMARY**

**A INTERIOR LAYOUT**

**A-1 General:**

**A-1-1** General characteristics:

**A-2 Saloon layout:**

**A-2-1** Saloon

**A-2-2** Galley

**A-2-3** Chart table

**A-3 Hull layout: « QUINTET » Version**

**A-3-1** Starboard hull: 2 double cabins + 2 bathrooms

**A-3-1.1** Companionway

**A-3-1.2** Aft cabin

**A-3-1.3** Fore and aft bathrooms

**A-3-1.4** Fore cabin

**A-3-1.5** Fore peak

**A-3-2** Port hull: 3 double cabins + 3 bathrooms

**A-3-2.1** companionway

**A-3-2.2** Aft cabin

**A-3-2.3** Aft bathroom

**A-3-2.4** Central cabin

**A-3-2.5** Central bathroom

**A-3-2.6** Fore cabin

**A-3-2.7** Fore bathroom

**A-3-2.8** Fore peak

**A-4 Hull layout: Version « MAESTRO »**

**A-4-1** Starboard hull: 2 double cabins + 2 bathrooms

**A-4-1.1** Companionway

**A-4-1.2** Aft cabin

**A-4-1.3** Fore and aft bathrooms

**A-4-1.4** Fore cabin

**A-4-1.5** Fore peak

**A-4-2** Port hull: 1 owner's suite + 1 double cabin + bathroom

**A-4-2.1** Owner's cabin - Sleeping area

**A-4-2.2** Owner's cabin - Office area

**A-4-2.3** Owner's cabin - Bathroom

**A-4-2.4** Independent WC

**A-4-2.5** Fore peak

<b>B</b>	<b>DECK layout:</b>
B-1	<u>Helm station</u>
B-2	<u>Lounge deck</u>
B-3	<u>Cockpit</u>
B-4	<u>Fore deck saloon</u>
B-5	<u>Engine holds</u>
<b>C</b>	<b>MOTORIZATION:</b>
C-1	<u>Engine and Equipment</u>
C-2	<u>Fuel system</u>
<b>D</b>	<b>PLUMBING:</b>
D-1	<u>Freshwater</u>
D-2	<u>Grey water and black water</u>
D-3	<u>Bilging system</u>
<b>E</b>	<b>Electricity / Electronic</b>
E-1	<u>Power circuit</u>
E-2	<u>12V Electrical distribution panel</u>
E-3	<u>Electronic</u>
<b>F</b>	<b>RIGGING AND SAIL:</b>
F-1	<u>Mast and boom</u>
F-2	<u>Sails</u>
<b>G</b>	<b>DECK FITTINGS</b>
G-1	<u>Helm station</u>
G-2	<u>Steering system</u>
G-3	<u>Other equipment</u>
<b>H</b>	<b>CONSTRUCTION</b>
H-1	<u>Construction materials and process</u>

## A Interior Layout

### A-1 General characteristics:

- Laminated woodworking
- Salon / Cabins flooring: Timber-laid floor
- Lining on rotproof glass felt
- Seat cushions
- Polyether foam mattresses

### A-2 Saloon Layout:

#### A-2-1 Saloon

- Accessible via a triple-leaf sliding door with carpeted entrance
- Panoramic view through picture windows
- Natural lighting via 1 roof glass panels
- 1 veneered table
- 6 places bench seat
- 1 Meridian
- Large storage boxes under the bench
- Ventilation with one large front window
- Main lighting system by LED spotlights
- Empty pocket and storage compartment with flap behind the bench seat
- Multifunction radio switch

#### A-2-2 Galley:

- Galley opened to the outside thanks to a sliding bay
- Synthesis resin worktop
- 1 stainless steel sink
- Pressurized hot and cold freshwater system from mixer faucet
- 1 stainless steel 3 burner stove with pan holder
- 1 stainless gas oven
- 1 cupboard under the sink
- 1 bottles storage drawer on the side of the oven
- 1 cupboard who can receive 1 dishwasher on top of the worktop + one sliding cupboard
- 1 open storage on the back of the cooktop
- A central island with 3 storage cupboards, 1 rubbish bin with access vertically, bags evacuated by independent door.
- A central island that can accommodate 1 microwave(option)
- 175L cold storage volume with 70L conservation mode
- a cupboard in front + 2 drawers' cupboard on the worktop on of which has a cutlery organizer
- storage spaces underneath the floor
- lighting via LED spotlights
- multifunction radio switch

**A-2-3 Chart Table:**

- High navigation instrument console on starboard
- Empty pocket
- 12V electric outlet
- Lighting via 1 LED spotlight on the ceiling
- Multifunction radio switch

---

**A-3 Interior Layout: « QUINTET » version:**

---

5 cabins & 5 independent bathrooms.

**A-3-1 Starboard hull: 2 double cabins + 2 bathrooms****A-3-1.1 Companionway**

A companionway behind the saloon gives access to the starboard hull

- Wooden staircase
- Open into the saloon
- 1 cupboard that can accommodate a washing machine

**A-3-1.2 Aft Cabin:**

- Access from the companionway via a wooden door
- Queen-size Island Bed (1,60x2,00 m approx.) with side access
- A storage chest below the bed
- Bedside shelves
- Wardrobe
- Storage closet with shelves and drawers in it + a small storage closet
- Ventilation via a deck hatch and 1 hull porthole
- Rear panoramic window
- Large picture-window on hull side
- Curtains to all windows
- Main lighting via 2 spotlights & 2 berth lights
- Bedside two-way switch
- Clothes hooks
- Lining covered ceilings
- Multifunction radio switch

**A-3-1.3 Fore & aft bathrooms:**

- Access via wooden door
- Washbasin with worktop
- Mirror with shelf
- Hot and cold freshwater system from mixer faucet
- Shower separated via a Plexiglas panel
- Electric drainage pump

- Mixing valve tap for shower
- Large manual marine toilet
- Storage closet with shelves under the worktop
- Clothes hooks
- Ventilation via 1 deck hatch
- Lighting via 2 spotlights
- Multifunction radio switch

#### **A-3-1.4 Fore cabin:**

- Access from the companionway via a wooden door
- Queen-size Island Bed/ Double bed (1,50x2,00 m approx.)
- a storage chest bed
- Wardrobe
- Storage closet with shelves in it
- Ventilation thanks to a deck hatch + 1 hull porthole
- Large picture-window on hull side
- Curtains to all windows and doors
- Main lighting via LED spotlights & 2 berth lights
- Bedside two-way switch
- Clothes hooks
- Lining covered ceilings
- Multifunction radio switch

#### **A-3-1.5 Fore peak:**

- Access from the deck hatch
- Fully painted, gel-coat finish
- Buoyancy reserve under half-height shelf

### **A-3-2 Port hull: 3 double cabins + 3 bathrooms**

#### **A-3-2.1 Companionway**

The central & fore cabins are served through a companionway at the front of the saloon

- Wooden staircase
- 1 LED spotlight

#### **A-3-2.2 Aft cabin:**

- Access from the cockpit through Plexiglas door including keylock
- Queen-size bed (1,60x2,00 approx.)
- Drawer below the bed with side access
- Wardrobe
- Storage closet with shelves in it
- Ventilation thanks to 1 hull porthole
- Picture-window on hull side
- Curtains to all windows and doors
- Lining covered ceilings
- Main lighting via 2 LED spotlights & 2 berth lights

- Bedside two-way switch
- Clothes hook
- Multifunction radio switch

#### **A-3-2.3 Aft bathroom:**

- Access via wooden door
- Washbasin with worktop
- Mirror with shelf
- Hot and cold freshwater system from mixer faucet
- Electric drainage pump for greywater
- Mixing valve tap for shower
- Large manual marine toilet
- Storage closet with shelves under the worktop
- Clothes hooks
- Ventilation thanks to 1 deck hatch
- Lighting via LED spotlights
- Multifunction radio switch

#### **A-3-2.4 Central cabin:**

- Access from the companionway via a wooden door
- 2 single beds (0.9 x2,00 approx.)
- Storage chest below the bed
- Wardrobe
- Ventilation thanks to 1 deck hatch
- Main lighting via LED spotlights & 2 berth lights
- Clothes hook
- Lining covered ceilings
- Multifunction radio switch

#### **A-3-2.5 Central bathroom:**

- Access via wooden door
- Washbasin with worktop
- Mirror with shelf
- Hot and cold freshwater system from mixer faucet
- Electric drainage pump for greywater
- Mixing valve tap for shower
- Large manual marine toilet
- Storage closet with shelves under the worktop
- Clothes hooks
- Ventilation thanks to 1 deck hatch
- Lighting via LED spotlights
- Multifunction radio switch

#### **A-3-2.6 Fore Cabin:**

- Access from the companionway via a wooden door
- Queen-size Island Bed (1,50x2,00 m approx.) with side access
- A storage chest below the bed

- Wardrobe
- Ventilation thanks to a deck hatch and 1 hull porthole
- Large picture-window on hull side
- Curtains to all windows and doors
- Main lighting via spotlights & 2 berth lights
- One storage closet with shelves inside
- Bedside two-way switch
- Clothes hook
- Lining covered ceilings
- Multifunction radio switch

#### **A-3-2.7 Forward bathroom:**

- Access via wooden door
- Washbasin with worktop
- Mirror with shelf
- Hot and cold freshwater system from mixer faucet
- Shower separated via a Plexiglas panel
- Electric drainage pump for greywater
- Mixing valve tap for shower
- Large manual marine toilet
- Storage closet with shelves under the worktop
- Clothes hooks
- Ventilation thanks to 1 deck hatch
- Lighting via LED spotlights
- Multifunction radio switch

#### **A-3-2.8 Forepeak:**

- Access from the forward cabin or a deck hatch
- Fully painted, gel-coat finish
- Buoyancy reserve under half-height shelf

## A-4 Interior Layout: « MAESTRO » Version:

1 Owner's suite + 1 double cabin to port & 2 double cabins to starboard

### **A-4-1 Starboard hull: 2 double cabins + 2 bathrooms**

#### **A-4-1.1 Companionway**

A companionway behind the saloon gives access to the starboard hull

- Wooden staircase
- Open into the saloon
- 1 cupboard who can receive a washing machine

#### **A-4-1.2 Aft Cabin:**

- Access from the companionway via a wooden door
- Queen-size Island Bed (1,60x2,00 m approx.) with side access
- A storage chest below the bed
- Bedside shelves
- Wardrobe
- A large storage closet with shelves and drawers in it + 1 small storage closet
- Ventilation via a deck hatch and 1 hull porthole
- Rear panoramic window
- Large picture-window on hull side
- Curtains to all windows
- Main lighting via LED spotlights & 2 berth lights
- Bedside two-way switch
- Clothes hooks
- Lining covered ceilings
- Multifunction radio switch

#### **A-4-1.3 Fore & aft bathrooms:**

- Access via wooden door
- Washbasin with worktop
- Mirror with shelf
- Hot and cold freshwater system from mixer faucet
- Shower separated via a Plexiglas panel
- Electric drainage pump for the grey water
- Mixing valve tap for shower
- Large manual marine toilet
- Storage closet with shelves under the worktop
- Clothes hooks
- Ventilation via 1 deck hatch
- Lighting via 2 LED spotlights
- Multifunction radio switch

#### **A-4-1.4 Fore cabin:**

- Access from the companionway via a wooden door

- Queen-size Island Bed/ Double bed (1,50x2,00 m approx.) with side access
- A storage chest below the bed
- Wardrobe
- Cupboard with shelves in it
- Ventilation thanks to a deck hatch and 1 hull porthole
- Large picture-window on hull side
- Curtains to all windows and doors
- Main lighting via LED spotlights & 2 berth lights
- Bedside two-way switch
- Clothes hooks
- Lining covered ceilings
- Multifunction radio switch

#### **A-4-1.5 Fore peak:**

- Access from the forward cabin or the deck hatch
- Fully painted, gel-coat finish
- Buoyancy reserve under half-height shelf

#### **A-4-2 Port hull: 1 Owner's suite**

The Owner's cabin is accessible from the companionway by a wooden door and from the cockpit through Plexiglas door including keylock

##### **A-4-2.1 Owner's cabin –Sleeping area**

- Access from the cockpit through Plexiglas door including keylock
- Queen-size Island Bed (1,60x2,00 m approx.) with side access
- Storage chest below the bed
- Bedside shelves on each side of the bed
- 1 cupboard with 3 drawers and shelves in it
- Ventilation thanks to a deck hatch and 1 hull porthole
- Rear panoramic window
- Large picture-window on hull side
- Curtains on all windows and doors
- Lining covered ceiling
- Main lighting via LED spotlights & 2 berth lights
- Bedside two-way switch
- Clothes hooks
- Multifunctional radio switch

##### **A-4-2.2 Owner's cabin – Office area:**

- Desk with storage cabinet
- 1 seat
- Storage cabinet below the desk
- Storage cabinets: drawer and flap
- Library wall niche
- Main lighting via LED spotlights & 1 berth light on the desk

- Ventilation via 1 deck hatch
- Lining covered ceilings
- Multifunctional radio switch

#### **A-4-2.3 Bathroom in the companionway:**

- Washbasin with resin worktop
- Mirror with shelf
- Hot and cold freshwater system from mixer faucet
- Storage cupboards with shelves
- Storage closet with shelves under the worktop
- Ventilation via 1 deck hatch and 1 hull porthole
- Shower
- Mixing valve tap for shower
- Electric drainage pump for greywater
- Lighting via LED spotlights
- Clothes hooks
- Multifunctional radio switch

#### **A-4-2.4 Independent WC**

- Access by a wooden door from the companionway
- Manual W.C.
- Ventilation by 1 deck hatch
- Lighting by LED spotlight
- Multifunctional radio switch

#### **A-4-2.5 Companionway**

- Storage cupboard with shelves - high wardrobe
- Lighting via LED spotlights
- Multifunctional radio switch

#### **A-4-2.6 Fore cabin:**

- Access through a wooden door from the companionway
- Storage cupboard with shelves + low storage + a child bed
- Ventilation and access by a deck hatch
- 1 window on hull side
- Lighting via LED spotlights
- Multifunctional radio switch

## B Deck Layout

### B-1 Helm station:

- Access through staircase from the cockpit
- Triple helmsman seat
- Instrument console
- 360° view / All-round visibility
- Access to the Lounge deck through staircase

### B-2 Lounge deck:

- Access via staircase from helm station
- Available area for solarium and mattresses
- Visibility 360°
- Lounge area with large sofa

### B-3 Cockpit:

- Large cockpit: Circulation without threshold towards the saloon.
- Access via the transom platforms
- Transom platform with swimming ladder (at port) & handrail
- 1 cold shower in the starboard platform
- GRP Bimini protecting all the cockpit
- 8 seats sofa around the table
- 1 Teck cockpit wooden table with a capacity of 8 places (10 places in option)
- Serving hatch to the galley via sliding bay
- 1 Large storage area under the sofa central that can accommodate 2 lift rafts MP10
- 1 fainting sofa on starboard
- 1 Transom sofa with large storage locker
- 1 Gas chest for 2 bottles
- Space on starboard side for a cockpit 75L fridge
- Natural lighting and ventilation by a deck hatch
- Lighting via LED spotlight

### B-4 Fore-deck saloon:

- 1 Large chest giving access to anchor davit
- 1 Large chest on starboard giving access to the gas cylinders
- 1 large waterproof chest on port side with space for the generator
- Relaxation area with sunbed (cushions optional)

---

**B-5 Engine holds:**

---

- Access via polyester deck hatch installed on stainless steel gas cylinders
- Sound proofing
- Watermaker on port side
- 1 Neon lighting

---

**C MOTORIZATION**

---

**C-1 Engines & Equipment:**

---

- 2 Sail drive YANMAR engine 4JH45 45HP
- 3 Blades fixed propeller
- Saltwater filters
- Engine cooled via heat exchanger
- Complete engine panel and dual controls at helm station
- Hour meter

---

**C-2 Fuel System:**

---

- 2 Fuel tanks fuel with deck plate fillers equipped with an overflow prevention device position in each hull 2 x 450L
- 2 Electric fuel gauge (indicator at chart table)
- 1 Fuel pre-filter / water separator (+ 1 engine fuel filter / engine)
- Fuel shut-off valves

---

**D PLUMBING**

---

**D-1 Freshwater:**

---

- 2 Freshwater tanks under the saloon (700L total capacity 2x350L) with 1 Electric gauge at chart table
- 1 Electric pump and pressure accumulator
- 2 x 40l water heaters

---

**D-2 Grey water and black water:**

---

- Shower drainage via individual shower pump (automatic pump-out).
- 1 holding tank for the WC

---

**D-3 Bilging system:**

---

- Bilge pumps directly powered with 12V by the service unit
- 1 electric bilge pump (4m<sup>3</sup>/h) in each engine room
- 1 electric bilge pump (4m<sup>3</sup>/h) in each hull

- 4 x automatic starting for bilge pumps with audible and visual alarm at the chart table
- 1 manual exterior bilge pump

## E ELECTRICITY / ELECTRONIC

### E-1 Power circuit:

- 2 x 125A/12V engine alternators
- 1 set starboard onboard/engine batteries of 600A/h (4 x 150 Ah)
- 1 port engine battery of 50A/h/ 800CCA
- 1 automatic back-up link and 1 Manual back-up link

### E-2 12V Electrical Distribution Panel:

- Multiplexed distribution of 12V functions
- Chart table function control on navigation screens
- Main functions backed up on backup screen
- Monitoring: for tanks, batteries and alarm management
- Spare sockets for extra equipment

### E-3 Electronic:

- 1 V.H.F mast head antenna
- Connected boat

## F RIGGING & SAILS

### F-1 Mast & Boom:

- Mast and boom in anodized aluminium
- Complete standing rigging
- Ball bearing mainsail luff cars
- 1 Dyneema tackle on mainsail halyard
- 1 topping lift
- 3 reef pennants
- 1 genoa halyard and clutch
- 1 spinnaker halyard
- Lazy jack
- 2 flag halyards
- Navigation, running and mooring LED lights
- Deck lighting

---

**F-2 Sails:**

---

- Full batten CSR mainsail
- Roller genoa fuller
- Genoa with UV band

---

**G DECK FITTINGS**

---

**G-1 Helm station:**

---

- 1 mainsheet tackle led aft to coach roof
- 1 clutch for mainsail sheet
- 1 clutch for the mainsail halyard
- 1 clutch for the spinnaker
- 1 clutch for the topping lift
- 3 clutches for the reef lines
- 1 size 50 self-tailing winch for mainsail halyard and reef lines
- 1 size 60 self-tailing winch for mainsail sheet
- 1 size 60 self-tailing winch for genoa sheet
- 1 Ball bearing mainsheet traveller
- 2 x tackle on mainsheet traveller clutches with back on roof
- Genoa tracks with load block
- 2 genoa sheets
- 1 halyard storage bag

---

**G-2 Steering System**

---

- 2 foam sandwich rudders on stainless steel rudder stock
- Hydraulic tiller system with manual pump
- 2 jacks on port and starboard
- Aluminium stern tubes
- Self-lining upper and lower rudderstock bearings
- 1 Emergency tiller

---

**G-3 Other Equipment**

---

- 1 steering compass
- 3 winch handles with their 2 pockets
- Pulpit and push pit, stanchions with upper and lower guardrails
- Pulpits with bow pulpit seats
- Access to transom
- 2 tender davits and kayak bracket with 1 x size 50 winch on port side
- 7 mooring cleats (2 foredeck + 2 middle + 2 astern + 1 in anchor well)
- 6 fenders

- 2 x 15m (50 ft) long mooring lines
- 1 x 1500W electric windlass with circuit breaker protection
- Anchor fairlead under bridge deck with built-in bridle
- 1 roller on forward beam
- Net on forward beam
- 1 kit of spare parts

**H****CONSTRUCTION****H-1 Construction materials and process**

- Hulls and decks are build using an infusion process with polyester resin on a balsa core, PET foam, or PVC foam
- Fibre glass skins
- Bimini RTM process on PET foam
- Infusion moulding on balsa, PVC and PET core for the structural bulkheads
- Light grey top coated bilges
- Hull finished in white gelcoat
- White gel coat deck with built-in anti-skid surface
- GRP keels bonded into keel boxes, anti-flooding system in case of going aground

***All dimensions are given as a rough guide only.***